

MAESTRO

SUCH A
BOY
THING

Hero





MAESTRO

Have the time of your life with the smoothest, smartest, sportiest ride - Hero Maestro. With exciting graphics and vibrant colours, Maestro will surely let you arrive with an attitude that sets you apart.

Combined Braking System

Designed for improved stability, the combined braking system triggers both brakes with pressing just the left side brake lever thus helping in significantly reducing the stopping distance. What's more, you can use the right lever for front brakes alone and ride the Maestro with complete confidence.



Powerful Engine Equipped With ASFS

At the heart of this solid machine is a powerful engine with Advanced Swirl Flow Induction System (ASFS). Specially designed for optimum power delivery and seamless acceleration, its enhanced performance and mileage will let you zip ahead and leave the world behind.



Digital Analog Combo Meter Console

A display that's smart and sexy at the same time. It's the ultimate combination of a precision trip meter, fuel gauge and odometer. And in this stylishly designed console also rests a Service Due Indicator that lets you know when your scooter service is due.



Stunning Graphics

Now there's more zing to your ride with sporty new graphics of the Hero Maestro. It adds a dash of coolness and stroke of flair to up the fun in your life.



Specifications

Engine Type	Air cooled, 4 – stroke single cylinder OHC, Self start
Displacement	109 cc
Maximum Power	6.0 kW (8.2 Ps) @ 7500 rpm
Maximum Torque	9.10 Nm @ 5500 rpm
Ignition	CDI System
Transmission	Dry, Automatic Centrifugal Clutch with variomatic drive
Chassis	High Rigidity Underbone Type
Wheel Base	1240 mm
Ground Clearance	155 mm
Kerb Weight	110 Kg
Tyre Size (Front)	90 / 100 x 10 – 53 J – Tube with Puncture Endurance
Tyre Size (Rear)	90 / 100 x 10 – 53 J – Tube with Puncture Endurance
Fuel Tank capacity	5.3 litre (Min)
Suspension – Front	Bottom Link with spring loaded hydraulic dampers
Suspension – Rear	Unit Swing with spring loaded hydraulic dampers
Brakes	Drum; Internal expanding shoe type (130 mm) Front & Rear - Combined Braking System
Head Lamp	12 V – 35 W / 35 W – Halogen Bulb (Multi-Reflector Type)
Battery	12 V – 3 Ah, MF Battery
Tail / Stop Lamp	12 V – 5 W / 21 W (Multi-Reflector Type)
Turn Signal Lamp	12 V – 10 W (Amber Bulb) x 4 nos (Multi-Reflector – Clear Lens)

New Range Of Cool Colours



Authorised Outlet



*Conditions apply.



Regd Office: **Hero MotoCorp Ltd.**,
34, Community Centre, Basant Lok, Vasant Vihar,
New Delhi - 110057, India.
CIN: L35911DL1984PLC017354

Hero MILEAGE
AB AUR MILEAGE KHEENCH LE

It is our endeavour to constantly improve our products. This could lead to changes in product specifications without notice. Accessories and features shown may not be a part of the standard fitment. Always wear a helmet while riding a two wheeler. For further information, contact nearest Hero MotoCorp authorised outlet or call Toll Free No.: 1800-266-0018 or visit website www.heromotocorp.com.