



Introducing _____
Splendor+
SPORTS



**POWERFUL
HEADLAMP**



**MOBILE
CHARGER**



**INTEGRATED
BRAKING SYSTEM**



**iBSO
TECHNOLOGY**



Splendor+

SPORTS



TECHNICAL SPECIFICATIONS

Engine	Type	Air cooled, 4 stroke single cylinder, OHC
	Displacement	97.2 cc
	Maximum Power	6.15 kW (8.36 Ps) @ 8000 r/min
	Torque	0.82 kgfm (8.05 N-m) @ 5000 rpm
	Compression Ratio	9.9:1
	Starting	Self Start
	Ignition System	Digital DC CDI with TCIS.
Transmission	Clutch	Multi-plate, wet type
	Transmission	4 -speed constant mesh gear
Chassis	Type	Tubular double cradle
Suspension	Front Suspension	Telescopic hydraulic shock absorbers
	Rear Suspension	Swing arm with 5 step adjustable hydraulic shock absorbers
Tyres	Front Tyre Size	80/100-18M/C 47P (Tubeless tyre)
	Rear Tyre Size	80/100-18M/C 54P (Tubeless tyre)
Brakes	Front Brake	Internal expanding shoe type, dia 130 mm
	Rear Brake	Internal expanding shoe type, dia 130 mm (Integrated Braking System)
Electrical	Battery	*MF Battery, 12V - 3Ah / ETZ-4 (Electric Start)
	Head Lamp (High/Low)	12V - 35W/ 35W (Halogen Bulb - **MFR)
	Tail / Stop Lamp	12V - 5W / 10W - **MFR
Dimensions	Overall Length	2000 mm
	Overall Width	720 mm
	Overall Height	1040 mm
	Wheelbase	1230 mm
	Ground Clearance	159 mm
Weights	Kerb Weight	112.3 kg (Electric start)
	Maximum Payload	130 Kg
Capacity	Fuel Tank Capacity	10 Litres (1.1 Litres usable reserve)