TECHNICAL SPECIFICATIONS

DIMENSIONS

1769 mm 704 mm 1161 mm Wheelbase 1238 mm Ground Clearance 155 mm Fuel Tank Capacity 4.8 litres

106 kg (ZX+) /104 kg (LX, VX) Kerb Weight

Max Payload 130 kg

SUSPENSION

Bottom link with spring loaded hydraulic dampers Front Suspension Rear Suspension Swing arm with spring loaded hydraulic dampers

TYRES

Front Tyre 90/100 x 10-53 J (Tubeless) Rear Tyre 90/100 x 10-53 J (Tubeless)

BRAKES

Front Brake Internal Expanding Shoe Type (130 mm) Rear Brake Internal Expanding Shoe Type (130 mm)

ENGINE

Air Cooled, 4-Stroke Single Cylinder OHC

Maximum Power 6.0kW (8 BHP) @ 7000 Revolutions Per Minute (RPM) Maximum Torque 8.70 Nm @ 5500 Revolutions Per Minute (RPM)

Displacement 110.9 cc 9.5:1 Compression Ratio

Starting System Electric Start/Kick Start

TRANSMISSION & CHASIS

Clutch System Dry, Automatic Centrifugal Clutch

ELECTRICALS

Battery 12V - 4Ah ETZ-5 MF-Battery

12V - LED, Projector Technology (ZX+), Headlamps

12V - 35W/35W, Halogen Bulb, Multi-Focal Reflector (LX/VX)

12V - 5W/21W Multi-Focal Reflector Type Tail/Stop Lamp

12V - 10W x 4 nos. Turn Signal Lamp (Multi-Focal Reflector-Clear Lens-Amber Bulb)

Ignition System FI (Fuel Injection)

COMES IN 3 VARIANTS

Features LX VX ZX+ LED Headlamps NA Projector Speedometer Analog Digi-Analog Digi-Analog SMS & Call Alert **Connectivity Options** Mobile Charging Port Optional^{^/} Standard Standard Wheels Sheet Meta Cast Wheel Cast Wheel Standard **Boot Lamp** Optional Standard Glove Box Optional^^ Standard Standard



YSENS, a Smart Sensor Technology that automatically adjusts vehicle performance depending on riding





The Grand Plaza, Plot No.2, Nelson Mandela Road, Vasant Kunj - Phase - II, New Delhi - 110070, India. Regd Office: Hero MotoCorp Ltd., CIN: L35911DL1984PLC017354 Authorised Outlet

It is our endeavour to improve our product. This could lead to changes in product specifications without notice. Accessories and features shown may not be a part of the standard fitment. Always wear a helmet while riding a two-wheeler. #Mileage has improved by 10% for Pleasure+ XTec with i3s technology as compared to the Pleasure BSIV variant under standard conditions. ##i3s Technology - Stops when scooter is in idle. Restarts with press of brake lever and slight throttle (Refer i3s related owner manual pages for more information). ^The 2021 Pleasure+ XTec, launched in October 2021, is the first 110cc scooter in India that features projector LED headlamp. ^^^Mobile charging port can only be bought with utility box, *Available in LX, VX, ZX+ Variant only, Available in LX variant, ^Available in VX variant, ***Available in VX & ZX+ variant, 'Available in ZX+ variant, T&C apply. For further information, contact nearest Hero MotoCorp authorised outlet (s) or call Toll Free No. 1800-266-0018 or visit website www.heromotocorp.com







It's time to ride and flaunt the new 110cc Hero Pleasure+ XTEC packed with smarter features and cooler looks.





FUEL SAVING TECHNOLOGY

With the help of **i3s Technology**, ride on for miles with **10% more mileage**.

SIDE STAND ENGINE CUTOFF ADDED SAFETY

The new 110cc Pleasure+ XTEC is cooler and safer than others.

The Side Stand Engine Cut off doesn't allow the vehicle to start if the side stand is down.

RETRO CHROME STYLING



CHROME FINISH MIRRORS



STYLISH CHROME MUFFLER PROTECTOR



CHROME HANDLE BAR ENDS



ELEGANT SEAT BACKREST



STUNNING RIM TAPE

FULLY LOADED ZIPPIER RIDE



POWERFUL 110CC ENGINE



MOBILE CHARGING PORT



LED BOOT LAMP



ALLOY WHEELS



DIGI-ANALOG SPEEDOMETER



SPORTY TAIL LAMP



INTEGRATED BRAKING SYSTEM & TUBELESS TYRES



SIDE STAND INDICATOR



LOW FUEL INDICATOR



DUAL TEXTURE SEAT



















