









Never lose your way again with **Turn-by-Turn Navigation.** Stay connected wherever you go with **Smartphone Connectivity.** Come to a halt without missing a beat with **Single Channel ABS.** Feel the difference on every ride with **XSENS technology** that delivers optimum levels of riding pleasure, comfort and fuel efficiency.

EE: P

ODO

ASENS WITH FI TECHNOLOGY

71366km

10km

FULLY LOADED WITH INFORMATION

The Xtreme 200S 4V is equipped with a state-of-the-art Full Digital LCD Meter to help you stay on top of every ride.

Full Digital LCD Meter with Gear Indicator, Service Reminder and Trip Meter



SPECIFICATIONS

| ITEM | | SPECIFICATIONS | |
|-------------|-----------------------|--|--|
| Dimensions | Overall length | 2000 mm | |
| | Overall width | 745 mm | |
| | Overall height | 1106 mm | |
| | Wheelbase | 1344 mm | |
| | Seat height | 795 mm | |
| | Ground clearance | 165 mm | |
| | Kerb weight | 155 kg | |
| Frame | Frame type | Diamond type | |
| | Front suspension | Telescopic Front Forks with anti friction bush | |
| | Rear suspension | Rectangular swingarm with monoshock | |
| | Front tyre size | 100/80-17 | |
| | Rear tyre size | 130/70-17 | |
| | Front brake Disc type | Petal Disc Dia. 276 mm (ABS) | |
| | Rear brake Disc type | Petal Disc Dia. 220 mm | |
| | Fuel tank capacity | 12.8 Litres | |
| Engine | Туре | Oil cooled, 4 Stroke 4 Valve single cylinder OHC | |
| | Maximum power | 19.1 Ps @ 8500 rpm | |
| | Maximum torque | 17.35 Nm @ 6500 rpm | |
| | Bore and stroke | 66.5mm X 57.5mm | |
| | Displacement | 199.6cc | |
| | Compression ratio | 10:01 | |
| Drive train | Clutch system | Multi-plate, wet type | |
| | Transmission | 5-speed constant mesh | |
| | Starting | Self and Kick | |
| | | | |



Pictures shown are for illustration purpose only and may not be exact representation of the product. It is our endeavour to constantly improve the product. This could lead to change in product specifications without any notice. Accessories & Feature shown may not be part of standard fitment. Actual colour of the vehicle may differ from those shown in the picture.

Hero MotoCorp Ltd. Regd. Office:

The Grand Plaza, Plot No. 2, Nelson Mandela Road, Vasant Kunj - Phase -II, New Delhi - 110070, India.

CIN: L35911DL1984PLC017354 |

PAN: AAACH0812J

Phone No.: 011-46044100,

Fax No.: 011-26143198, 26143321. Toll Free No.: 1800-266-0018, Website: www.heromotocorp.com