



Hero Achiever 150 is the first ever bike in its segment with intuitive i3s technology. It automatically switches off the engine when idle for more than 5 seconds and switches it on as soon as you press the clutch. Now ride ahead in style and save fuel on the go.



Stops when idle

Auto Ignition cut-off when idle for more than 5 seconds



Restarts instantly

Engine restarts with a press of the clutch



Saves fuel

Ensures minimum consumption of fuel












Muscular Fuel Tank with 3D Hero insignia





Spacious Seat for superior comfort



Stylish Alloy Wheels with Tubeless Tyres

Technical Specifications

ENGINE	
Type Bore X Stroke Displacement Compression Ratio Maximum Power Maximum Torque Ignition Starting	Air Cooled, 4 stroke single cylinder, OHC 57.3x 57.8 mm 149.1 cc 9.1:1 10 kW (13.4 BHP)@ 8000 rpm 12.8 N- m@ 5000 rpm Digital-DC CDI Ignition (AMI) Advanced Microprocessor Ignition Kick Start / Self Start
TRANSMISSION	
Clutch Gear Box	Multi- plate, wet type 5- speed constant mesh
CHASSIS	
Туре	Tubular Diamond type
SUSPENSION	
Front Rear	Telescopic hydraulic shock absorber Swing Arm with adjustable Shock Absorber
BRAKES	
Brakes Front Brakes Rear	Hydraulic Disc type- 240 mm dia, Internal Expanding shoe type - 130 mm dia Internal Expanding shoe type - 130 mm dia

TYRES	
Tyre Size Front	80/100-18 47P (Tubeless)
Tyre Size Rear	80/100-18 54P (Tubeless)
ELECTRICALS	
Battery	12V- 5Ah (Electric start) (Maintenance free)
Head Lamps	12 V - 35W / 35W - Halogen bulb(MFR)
Tail / Stop Lamp	12V- 5W- MFR
DIMENSIONS	
Length	2060 mm
Width	763 mm
Height	1086 mm
Wheelbase	1290 mm
Ground Clearance	160 mm
WEIGHTS	
Kerb Weight	139 kg
Max Payload	130 kg
CAPACITY	
Fuel Tank Capacity	13 litre
Reserve	1.8 litre

AVAILABLE IN 3 EXCITING COLOURS



| Noble Black



Flery Red



Valor Grey

Hero MotoCorp Ltd.,

Registered Office: 34, Community Centre, Basant Lok, Vasant Vihar, New Delhi – 110057, India. CIN: L35911DL1984PLC017354

It is our endeavour to constantly improve our products. This could lead to changes in product specifications without notice.

Accessories and features shown may not be a part of the standard fitment. Always wear a helmet while riding a two wheeler.

Visit www.heromotocorp.com